EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	354	file with (end near2 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:26
L2	762	file with ECC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 09:52
L3	1	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 09:52
L4	194	1 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:34
L5	10	4 and ((error near1 correction) or ecc or erc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 11:26
L6	1967	file with (end near2 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:58
L7	43	(search$3 or scan$3 or look$3) with (un$allocat$3 or un$1assign$3 or un$1used or free) with (end near2 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:59
L8	1	6 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:34

EAST Search History

L9	1	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 11:34
L10	31	7 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:00
L11	1233	file with ((end$3 or tail$3) near1 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:41
L12	55	(search$3 or scan$3 or look$3) with (un$allocat$3 or un$1assign$3 or un$1used or free) with ((end$3 or tail$3) near2 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:00
L13	40	12 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:03
L14	24	12 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:01
L15	9	13 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:01
L16	714	11 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:44

L17	375	16 and (un$1allocat$3 or un$1assign$3 or un$1used or free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:06
L18	236	17 and recording	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:06
L19	16	18 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:09
L20	39	17 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:46
L21	6893	(file or area or record$3 or space) with ((end$3 or tail$3) near1 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:43
L22	1639	(search$3 or scan$4 or look$4) with ((end$3 or tail$3) near1 (pointer or address or marker or id or indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:44
L23	446	21 same 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:44
L24	286	23 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:28

L25	142302	(error near1 correct$3) or ecc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:45
L26	108	24 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:46
L27	106	26 and recording	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:52
L28	1	27 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 12:46
L29	95	26 and file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 12:53
L30	83	29 and "386"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:23
L31	1	26 and ((search$3 or scan$4 or look$6) near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:38
L32	25271	((search$3 or scan$4 or look$6) near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:26

EAST Search History

L33	7809	(end or tail) near1 pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:27
L34	172	32 and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:27
L35	42	25 and 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:27
L36	11	35 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:40
L37	0	26 and ((search$3 or scan$4 or look$6) near2 (new near1 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:39
L38	0	26 and ((search$3 or scan$4 or look$6) with (new near1 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:39
L39	610	((search$3 or scan$4 or look$6) with (new near1 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:40
L40	13	33 and 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 13:40

L41	10	40 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:51
L42	92	farrokh-hashem.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:42
L43	15	42 and recording	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:47
L44	162869	(data near2 recording)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:48
L45	160469	(end or tail) near2 (pointer or marker or index or indicat$3 or label$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:13
L46	6241	44 and 45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:50
L47	22	39 and 46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 13:50
L48	17	47 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:15

L49	303	(end or tail) near2 (area adj (pointer or marker or index or indicat$3 or label$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:14
L50	189	49 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:25
L51	97	50 and (search$3 or scan$4 or look$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:17
L52	8	51 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:23
L53	14904	allocat$3 near2 (table or directory or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:24
L54	235	un$1allocat$3 near2 (table or directory or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:24
L55	13099	(un$1allocat$3 or unused or un$1assigned or free) near2 (table or directory or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:25
L56	156	53 and 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 14:25

EAST Search History

L57	105	56 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 14:26
S1	2	"20060101219".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 13:50
S2	105	Mita-Hideaki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 13:13
S3	215	Gotoh-Yoshiho.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 13:13
S4	568	Fukushima-Yoshihisa.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 13:14
S5	2	Bannai-Tatushi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 13:14
S6	7259	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or assigned) with (recording or memory or storage or non$1volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:52
S7	1754	((determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or assigned) with (recording or memory or storage or non$1volatile or flash)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 14:57

EAST Search History

S8	20	S7 and (S2 or S3 or S4 or S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 15:56
S9	108	((determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (recording or memory or storage or non$1volatile or flash)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 14:51
S10	12	S9 and (S2 or S3 or S4 or S5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 14:00
S11	340	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (recording or memory or storage or non$1volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 14:55
S12	68	S9 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 09:53
S13	34	S12 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:25
S14	207	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (area or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 14:55
S15	42	S7 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 14:57

EAST Search History

S16	22	S15 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 15:15
S17	14	S16 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 14:57
S18	1754	((determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or assigned) with (recording or memory or storage or non$1volatile or flash)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 15:26
S19	207	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (area or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 15:26
S20	42	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:26
S21	22	S20 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:59
S22	14	S21 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:26
S23	338	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (recording or memory or storage or non$1volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:53

EAST Search History

S24	253	(determin$3 or search$3 or scan$3 or indentif$7) with (un$allocated or un$1assigned) with (area or volume or space or range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:54
S25	146	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 15:54
S26	153	(un$1allocat$3 or un$1asigned) near2 (satisf$3 or fulfil$4 or meet$3 or sufficient or enough)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 15:58
S27	10	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 15:59
S28	7	S27 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:01
S29	5	"6609175"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:00
S30	337	re$1writ$3 near2 limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 10:07
S31	179	S30 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:08

EAST Search History

S32	141490	(un$1allocated or un$1assigned or un$1used or free) near2 (area or space or volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:04
S33	237326	(allocated or assigned or used) near2 (area or space or volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:04
S34	15024	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:05
S35	1	S31 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:05
S36	33	re$1writ$3 near2 limit with (storage near2 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 10:14
S37	11	S36 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:15
S38	5	re$1writ$3 near2 limit with optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 10:15
S39	32	re$1writ$3 with limit with optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 10:15

EAST Search History

S40	17	S39 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 13:08
S41	5	"6609175"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 13:08
S42	0	(determin$3 or check$3) near5 (unallocated or unused or free) near5 (satisf$3 or fulfil$4 or meet$3) near5 (requst$3 near1 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 15:12
S43	0	(determin$3 or check$3) near5 (un$1allocated or un$1used or free) near5 (satisf$3 or fulfil$4 or meet$3) near5 (requst$3 near1 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 15:13
S44	0	(determin$3 or check$3) near5 (un$1allocated or un$1used or free) near5 (satisf$3 or fulfil$4 or meet$3) near5 (requst$3 near1 (size or space or capacity or volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 15:15
S45	35	(determin$3 or check$3) near5 (un$1allocated or un$1used or free) near5 (satisf$3 or fulfil$4 or meet$3) near5 ((size or space or capacity or volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 15:15
S46	21	S45 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 09:50

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20010044878"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 17:35
L3	1	1 and (search$3 near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/28 17:36
L4	168109	(search$3 or scan$4 or look$6) with (end or tail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 18:41
L5	177	(search$3 or scan$4 or look$6) with ((end or tail) near1 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 18:41
L6	109	5 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:10
L7	58	pointer with (indicat$3 or show$3 or identif$7) with (new near1 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 18:56
L8	46	7 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:06
L9	61	(search$3 or scan$4 or look$6) with (un$allocat$3 or un$1assigned or unused or free) with ((end or tail) near2 (pointer or indicat$3 or address or identifier or marker or indix))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:54

L10	43	9 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:47
L11	0	7 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:11
L12	27	10 and file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:12
L14	79	unallocated near2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 19:47
L15	53	14 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:13
L16	287	(determin$3 or check$3 or judg$3) with (unallocated or unused or unassigned or free) with (area or space or volume) with (satisfy$3 or fulfil$4 or meet$3 or sufficient or enough) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:58
L17	92	(repeat$3 or continu$3) with (unallocated or unused or unassigned or free) with (area or space or volume) with search$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:13
L18	2	16 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:13

L19	2	18 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:15
L20	151	16 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:59
L21	53	20 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:59
L22	14897	(determin$3 or identif$3) with (unallocat$3 or unassigned or unused or free) with (area or space or storage or volume or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:03
L23	238	16 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:59
L24	124	23 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:55
L25	48	24 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 20:59
L26	449	(repeat$3 or continu$3) with (determin$3 or identif$3) with (unallocat$3 or unassigned or unused or free) with (area or space or storage or volume or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:04

L27	21	16 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:04
L28	9	27 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:05
L29	6	(search$3 or scan$4 or look$6) with (un$allocat$3 or un$1assigned or unused or free) with (fixed near1 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:56
L30	3	29 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:56
L31	134	(search$3 or scan$4 or look$6) with (un$allocat$3 or un$1assigned or unused or free) with ("one" near1 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:56
L32	50	31 and (@ad<"20021030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:56
L33	1	32 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:57